



ICPSR 33261

Treatment Episode Data Set -- Admissions (TEDS-A), 2010

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Center for Behavioral Health Statistics and
Quality.*

Codebook

SAMHDA
is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@icpsr.umich.edu)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works to ICPSR for inclusion in a database of related publications (bibliography@icpsr.umich.edu).

Disclaimer

You acknowledge that SAMHSA and ICPSR will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ or ICPSR determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

ICPSR

Inter-university Consortium for Political and Social Research

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TREATMENT EPISODE DATA SET – ADMISSIONS CODEBOOK, 2010

Introduction

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring in 2010. TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in the Variable Information and Frequency sections of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or

certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

Data Collection

The [“Treatment Episode Data Set State Instruction Manual – Admissions Data”](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent’s record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

Universe

The universe for TEDS-A is admissions in calendar year 2010 that were received and processed through October 10, 2011.

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.¹

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad

¹ Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services*. DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.²

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.
- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.

² Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
compute AKSTATE=1.
else.
compute AKSTATE=2.
end if.

variable labels  AKSTATE "ALASKA STATE INDICATOR".

value labels  AKSTATE  1 "ALASKA"  2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data for 49 states plus Puerto Rico. The following states did not report usable data for the year 2010: Georgia. The District of Columbia did not report usable data in 2010 either.

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata

System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 2010 are as follows:

Filename: da33261-0001.txt

Number of observations: 1,823,006

Number of variables: 63

Records per case: 1

Logical record length: 122

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

Publications

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the DASIS Web site.

ICPSR 33261

Treatment Episode Data Set -- Admissions (TEDS-A), 2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Treatment Episode Data Set -- Admissions (TEDS-A), 2010

Variable Groups

Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
IDENTIFICATION	IDENTIFICATION	8
CLIENT CHARACTERISTICS	CLIENT CHARACTERISTICS	8
GEOGRAPHIC	GEOGRAPHIC	9
TREATMENT SERVICE CHARACTERISTICS	TREATMENT SERVICE CHARACTERISTICS	9
REFERRAL SOURCES	REFERRAL SOURCES	9
PRIOR SUBSTANCE ABUSE TREATMENT	PRIOR SUBSTANCE ABUSE TREATMENT	9
SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	9
SUBSTANCES OF ABUSE: CREATED VARIABLES	SUBSTANCES OF ABUSE: CREATED VARIABLES	10
MENTAL HEALTH	MENTAL HEALTH	10
INSURANCE/PAYMENT	INSURANCE/PAYMENT	10

IDENTIFICATION

IDENTIFICATION

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
CASEID	CASE IDENTIFICATION NUMBER	11
YEAR	YEAR OF ADMISSION	11

CLIENT CHARACTERISTICS

CLIENT CHARACTERISTICS

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
AGE	AGE (RECODED)	11
GENDER	SEX	12
RACE	RACE	12
ETHNIC	ETHNICITY (HISPANIC ORIGIN)	13
MARSTAT	MARITAL STATUS	14
EDUC	EDUCATION	15
EMPLOY	EMPLOYMENT STATUS	15
DET NFL	DETAILED 'NOT IN LABOR FORCE' CATEGORY	16
PREG	PREGNANT AT TIME OF ADMISSION	16
VET	VETERAN STATUS	17
LIVARAG	LIVING ARRANGEMENT	17

Variables within this Variable Group		
Variable	Variable Label	Page
PRIMINC	SOURCE OF INCOME/SUPPORT	18
ARRESTS	NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION	18

GEOGRAPHIC

GEOGRAPHIC

Variables within this Variable Group		
Variable	Variable Label	Page
STFIPS	CENSUS STATE FIPS CODE	19
CBSA	FIPS 2000 CBSA CODE	20
PMSA	FIPS 1990 MSA CODE	28
REGION	CENSUS REGION	35
DIVISION	CENSUS DIVISION	36

TREATMENT SERVICE CHARACTERISTICS

TREATMENT SERVICE CHARACTERISTICS

Variables within this Variable Group		
Variable	Variable Label	Page
SERVSETA	SERVICE SETTING AT ADMISSION	37
METHUSE	MEDICATION-ASSISTED OPIOID THERAPY	38
DAYWAIT	DAYS WAITING TO ENTER TREATMENT	39

REFERRAL SOURCES

REFERRAL SOURCES

Variables within this Variable Group		
Variable	Variable Label	Page
PSOURCE	PRINCIPAL SOURCE OF REFERRAL	39
DETCRIM	DETAILED CRIMINAL JUSTICE REFERRAL	41

PRIOR SUBSTANCE ABUSE TREATMENT

PRIOR SUBSTANCE ABUSE TREATMENT

Variables within this Variable Group		
Variable	Variable Label	Page
NOPRIOR	NUMBER OF PRIOR TREATMENT EPISODES	41

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

Variables within this Variable Group		
Variable	Variable Label	Page
SUB1	SUBSTANCE PROBLEM CODE (PRIMARY)	42
ROUTE1	USUAL ROUTE OF ADMINISTRATION (PRIMARY)	44
FREQ1	FREQUENCY OF USE (PRIMARY)	44
FRSTUSE1	AGE AT FIRST USE (PRIMARY)	44
SUB2	SUBSTANCE PROBLEM CODE (SECONDARY)	45
ROUTE2	USUAL ROUTE OF ADMINISTRATION (SECONDARY)	47
FREQ2	FREQUENCY OF USE (SECONDARY)	47

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
FRSTUSE2	AGE AT FIRST USE (SECONDARY)	48
SUB3	SUBSTANCE PROBLEM CODE (TERTIARY)	48
ROUTE3	USUAL ROUTE OF ADMINISTRATION (TERTIARY)	50
FREQ3	FREQUENCY OF USE (TERTIARY)	50
FRSTUSE3	AGE AT FIRST USE (TERTIARY)	51

**SUBSTANCES OF ABUSE:
CREATED VARIABLES**

SUBSTANCES OF ABUSE: CREATED VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
NUMSUBS	NUMBER OF SUBSTANCES REPORTED AT ADM.	51
IDU	CURRENT IV DRUG USE REPORTED AT ADM.	51
ALCFLG	ALCOHOL REPORTED AT ADM.	52
COKEFLG	COCAINE/CRACK REPORTED AT ADM.	52
MARFLG	MARIJUANA/HASHISH REPORTED AT ADM.	52
HERFLG	HEROIN REPORTED AT ADM.	53
METHFLG	NON-RX METHADONE REPORTED AT ADM.	53
OPSYNFLG	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.	53
PCPFLG	PCP REPORTED AT ADM.	53
HALLFLG	OTHER HALLUCINOGENS REPORTED AT ADM.	54
MTHAMFLG	METHAMPHETAMINE REPORTED AT ADM.	54
AMPHFLG	OTHER AMPHETAMINES REPORTED AT ADM.	54
STIMFLG	OTHER STIMULANTS REPORTED AT ADM.	54
BENZFLG	BENZODIAZEPINES REPORTED AT ADM.	55
TRNQFLG	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.	55
BARBFLG	BARBITURATES REPORTED AT ADM.	55
SEDHPFLG	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.	55
INHFLG	INHALANTS REPORTED AT ADM.	56
OTCFLG	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.	56
OTHERFLG	OTHER DRUG REPORTED AT ADM.	56
ALCDRUG	SUBSTANCE ABUSE TYPE	56

MENTAL HEALTH

MENTAL HEALTH

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
DSMCRIT	DSM DIAGNOSIS	57
PSYPROB	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM	58

INSURANCE/PAYMENT

INSURANCE/PAYMENT

Variables within this Variable Group		
Variable	Variable Label	Page
HLTHINS	HEALTH INSURANCE	58
PRIMPAY	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT	58

CASEID	CASE IDENTIFICATION NUMBER
--------	----------------------------

Location: 1-8 (width: 8; decimal: 0)

Variable Type: numeric

Based upon 1823006 valid cases out of 1823006 total cases.

YEAR	YEAR OF ADMISSION
------	-------------------

Location: 9-12 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Year of client's admission to substance abuse treatment.

Value	Label	Unweighted Frequency	%	Valid %
2010	-	1823006	100.0 %	100.0%

Based upon 1823006 valid cases out of 1823006 total cases.

AGE	AGE (RECODED)
-----	---------------

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

Value	Label	Unweighted Frequency	%	Valid %
2	12-14	21692	1.2 %	1.2%
3	15-17	111297	6.1 %	6.1%
4	18-20	124568	6.8 %	6.8%
5	21-24	228050	12.5 %	12.5%
6	25-29	283830	15.6 %	15.6%
7	30-34	224656	12.3 %	12.3%
8	35-39	187326	10.3 %	10.3%
9	40-44	200348	11.0 %	11.0%
10	45-49	200266	11.0 %	11.0%
11	50-54	136256	7.5 %	7.5%
12	55 AND OVER	104717	5.7 %	5.7%

Based upon 1823006 valid cases out of 1823006 total cases.

GENDER	SEX																				
Location:	15-16 (width: 2; decimal: 0)																				
Variable Type:	numeric																				
Range of Missing Values (M):	-9																				
Question:	Identifies client's gender.																				
	<table><tr><th>Value</th><th>Label</th><th>Unweighted Frequency</th><th>%</th><th>Valid %</th></tr><tr><td>1</td><td>MALE</td><td>1232652</td><td>67.6 %</td><td>67.6%</td></tr><tr><td>2</td><td>FEMALE</td><td>589748</td><td>32.4 %</td><td>32.4%</td></tr><tr><td>-9 (M)</td><td>MISSING/UNKNOWN/NOT COLLECTED/INVALID</td><td>606</td><td>0.0 %</td><td></td></tr></table>	Value	Label	Unweighted Frequency	%	Valid %	1	MALE	1232652	67.6 %	67.6%	2	FEMALE	589748	32.4 %	32.4%	-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	606	0.0 %	
Value	Label	Unweighted Frequency	%	Valid %																	
1	MALE	1232652	67.6 %	67.6%																	
2	FEMALE	589748	32.4 %	32.4%																	
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	606	0.0 %																		

Based upon 1822400 valid cases out of 1823006 total cases.

RACE	RACE
Location:	17-18 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	Specifies the client's race:
	<ul style="list-style-type: none"> - ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska. - AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment. - ASIAN OR PACIFIC ISLANDER: Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands. - BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa. - WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East. - ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam. - OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)

- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	4210	0.2 %	0.2%
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	41319	2.3 %	2.3%
3	ASIAN OR PACIFIC ISLANDER	1855	0.1 %	0.1%
4	BLACK OR AFRICAN AMERICAN	373335	20.5 %	20.7%
5	WHITE	1189326	65.2 %	65.9%
13	ASIAN	10587	0.6 %	0.6%
20	OTHER SINGLE RACE	149243	8.2 %	8.3%
21	TWO OR MORE RACES	25156	1.4 %	1.4%
23	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	9117	0.5 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	18858	1.0 %	-

Based upon 1804148 valid cases out of 1823006 total cases.

ETHNIC	ETHNICITY (HISPANIC ORIGIN)
--------	-----------------------------

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.
- MEXICAN: Of Mexican origin, regardless of race.
- CUBAN: Of Cuban origin, regardless of race.
- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain),

other than Puerto Rican, Mexican, or Cuban, regardless of race.

- NOT OF HISPANIC ORIGIN:

- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PUERTO RICAN	70305	3.9 %	3.9%
2	MEXICAN	84724	4.6 %	4.7%
3	CUBAN	4162	0.2 %	0.2%
4	OTHER SPECIFIC HISPANIC	50866	2.8 %	2.8%
5	NOT OF HISPANIC ORIGIN	1542596	84.6 %	86.0%
6	HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED	41796	2.3 %	2.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	28557	1.6 %	-

Based upon 1794449 valid cases out of 1823006 total cases.

MARSTAT

MARITAL STATUS

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.

- NOW MARRIED: Includes those living together as married.

- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.

- DIVORCED, WIDOWED

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER MARRIED	912905	50.1 %	62.7%
2	NOW MARRIED	215563	11.8 %	14.8%
3	SEPARATED	89382	4.9 %	6.1%
4	DIVORCED, WIDOWED	238318	13.1 %	16.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	366838	20.1 %	-

Based upon 1456168 valid cases out of 1823006 total cases.

EDUC	EDUCATION
------	-----------

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

Value	Label	Unweighted Frequency	%	Valid %
1	8 YEARS OR LESS	183302	10.1 %	10.4%
2	9-11	470672	25.8 %	26.7%
3	12	700736	38.4 %	39.7%
4	13-15	325122	17.8 %	18.4%
5	16 OR MORE	84760	4.6 %	4.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	58414	3.2 %	-

Based upon 1764592 valid cases out of 1823006 total cases.

EMPLOY	EMPLOYMENT STATUS
--------	-------------------

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.

- PART TIME: Working fewer than 35 hours each week.

- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.

- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DET NFLF).

Guidelines: Seasonal workers are coded in this category based

on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FULL TIME	264538	14.5 %	14.7%
2	PART TIME	134457	7.4 %	7.5%
3	UNEMPLOYED	694164	38.1 %	38.6%
4	NOT IN LABOR FORCE	705334	38.7 %	39.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	24513	1.3 %	-

Based upon 1798493 valid cases out of 1823006 total cases.

DET NFL

DETAILED 'NOT IN LABOR FORCE' CATEGORY

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMEMAKER	17312	0.9 %	2.9%
2	STUDENT	109251	6.0 %	18.3%
3	RETIRED, DISABLED	130161	7.1 %	21.8%
5	INMATE OF INSTITUTION	39173	2.1 %	6.6%
6	OTHER	300078	16.5 %	50.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1227031	67.3 %	-

Based upon 595975 valid cases out of 1823006 total cases.

PREG

PREGNANT AT TIME OF ADMISSION

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	21978	1.2 %	4.0%
2	NO	533422	29.3 %	96.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1267606	69.5 %	-

Based upon 555400 valid cases out of 1823006 total cases.

VET	VETERAN STATUS
-----	----------------

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	58261	3.2 %	3.6%
2	NO	1550508	85.1 %	96.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	214237	11.8 %	-

Based upon 1608769 valid cases out of 1823006 total cases.

LIVARAG	LIVING ARRANGEMENT
---------	--------------------

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.

- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.

- INDEPENDENT LIVING: Clients living alone or with others

without supervision. Includes adult children (age 18 or over) living with parents.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMELESS	221528	12.2 %	12.7%
2	DEPENDENT LIVING	364939	20.0 %	21.0%
3	INDEPENDENT LIVING	1152926	63.2 %	66.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	83613	4.6 %	-

Based upon 1739393 valid cases out of 1823006 total cases.

PRIMINC SOURCE OF INCOME/SUPPORT

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WAGES/SALARY	346454	19.0 %	28.0%
2	PUBLIC ASSISTANCE	111291	6.1 %	9.0%
3	RETIREMENT/PENSION, DISABILITY	76094	4.2 %	6.1%
20	OTHER	257124	14.1 %	20.8%
21	NONE	447585	24.6 %	36.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	584458	32.1 %	-

Based upon 1238548 valid cases out of 1823006 total cases.

ARRESTS NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The number of arrests in the 30 days preceding the date of admission to treatment services.

Guidelines: This item is intended to capture the number of times the client was arrested for any cause during the 30 days preceding the date of admission to treatment. Any formal arrest is to be counted regardless of whether incarceration or conviction resulted and regardless of the status of the arrest proceedings at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	1477683	81.1 %	90.1%
1	ONCE	141064	7.7 %	8.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	2 OR MORE TIMES	21751	1.2 %	1.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	182508	10.0 %	-

Based upon 1640498 valid cases out of 1823006 total cases.

STFIPS

CENSUS STATE FIPS CODE

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: State FIPS codes consistent with those used by the U.S. Bureau of the Census.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALABAMA	21678	1.2 %	1.2%
2	ALASKA	6746	0.4 %	0.4%
4	ARIZONA	20140	1.1 %	1.1%
5	ARKANSAS	14157	0.8 %	0.8%
6	CALIFORNIA	165240	9.1 %	9.1%
8	COLORADO	78453	4.3 %	4.3%
9	CONNECTICUT	51951	2.8 %	2.8%
10	DELAWARE	6702	0.4 %	0.4%
12	FLORIDA	47962	2.6 %	2.6%
15	HAWAII	6609	0.4 %	0.4%
16	IDAHO	2200	0.1 %	0.1%
17	ILLINOIS	62393	3.4 %	3.4%
18	INDIANA	23780	1.3 %	1.3%
19	IOWA	33036	1.8 %	1.8%
20	KANSAS	14939	0.8 %	0.8%
21	KENTUCKY	22142	1.2 %	1.2%
22	LOUISIANA	26162	1.4 %	1.4%
23	MAINE	12519	0.7 %	0.7%
24	MARYLAND	41815	2.3 %	2.3%
25	MASSACHUSETTS	87205	4.8 %	4.8%
26	MICHIGAN	60179	3.3 %	3.3%
27	MINNESOTA	50941	2.8 %	2.8%
28	MISSISSIPPI	2269	0.1 %	0.1%
29	MISSOURI	48626	2.7 %	2.7%
30	MONTANA	7745	0.4 %	0.4%
31	NEBRASKA	15727	0.9 %	0.9%
32	NEVADA	8710	0.5 %	0.5%
33	NEW HAMPSHIRE	6303	0.3 %	0.3%
34	NEW JERSEY	70180	3.8 %	3.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
35	NEW MEXICO	7312	0.4 %	0.4%
36	NEW YORK	310896	17.1 %	17.1%
37	NORTH CAROLINA	59736	3.3 %	3.3%
38	NORTH DAKOTA	2491	0.1 %	0.1%
39	OHIO	78249	4.3 %	4.3%
40	OKLAHOMA	12605	0.7 %	0.7%
41	OREGON	47149	2.6 %	2.6%
42	PENNSYLVANIA	58977	3.2 %	3.2%
44	RHODE ISLAND	10204	0.6 %	0.6%
45	SOUTH CAROLINA	27802	1.5 %	1.5%
46	SOUTH DAKOTA	14616	0.8 %	0.8%
47	TENNESSEE	11750	0.6 %	0.6%
48	TEXAS	37671	2.1 %	2.1%
49	UTAH	14977	0.8 %	0.8%
50	VERMONT	7999	0.4 %	0.4%
51	VIRGINIA	26575	1.5 %	1.5%
53	WASHINGTON	38106	2.1 %	2.1%
54	WEST VIRGINIA	2181	0.1 %	0.1%
55	WISCONSIN	29352	1.6 %	1.6%
56	WYOMING	6012	0.3 %	0.3%
72	PUERTO RICO	1837	0.1 %	0.1%

Based upon 1823006 valid cases out of 1823006 total cases.

CBSA

FIPS 2000 CBSA CODE

Location: 41-45 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10180	ABILENE, TX METRO	207	0.0 %	0.0%
10380	AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO	6	0.0 %	0.0%
10420	AKRON, OH METRO	867	0.0 %	0.1%
10580	ALBANY-SCHENECTADY-TROY, NY METRO	18691	1.0 %	1.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10740	ALBUQUERQUE, NM METRO	1686	0.1 %	0.1%
10780	ALEXANDRIA, LA METRO	2077	0.1 %	0.2%
10880	ALLEGAN, MI MICRO	271	0.0 %	0.0%
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	2759	0.2 %	0.2%
11020	ALTOONA, PA METRO	4633	0.3 %	0.4%
11100	AMARILLO, TX METRO	315	0.0 %	0.0%
11260	ANCHORAGE, AK METRO	1895	0.1 %	0.2%
11340	ANDERSON, SC METRO	1112	0.1 %	0.1%
11460	ANN ARBOR, MI METRO	1260	0.1 %	0.1%
11500	ANNISTON-OXFORD, AL METRO	35	0.0 %	0.0%
11700	ASHEVILLE, NC METRO	1912	0.1 %	0.2%
11780	ASHTABULA, OH MICRO	120	0.0 %	0.0%
12100	ATLANTIC CITY, NJ METRO	3202	0.2 %	0.3%
12260	AUGUSTA-RICHMOND COUNTY, GA-SC METRO	987	0.1 %	0.1%
12420	AUSTIN-ROUND ROCK, TX METRO	2083	0.1 %	0.2%
12540	BAKERSFIELD, CA METRO	2193	0.1 %	0.2%
12580	BALTIMORE-TOWSON, MD METRO	20447	1.1 %	1.7%
12700	BARNSTABLE TOWN, MA METRO	5492	0.3 %	0.4%
12940	BATON ROUGE, LA METRO	3529	0.2 %	0.3%
12980	BATTLE CREEK, MI METRO	695	0.0 %	0.1%
13020	BAY CITY, MI METRO	122	0.0 %	0.0%
13140	BEAUMONT-PORT ARTHUR, TX METRO	1371	0.1 %	0.1%
13380	BELLINGHAM, WA METRO	1554	0.1 %	0.1%
13740	BILLINGS, MT METRO	1140	0.1 %	0.1%
13780	BINGHAMTON, NY METRO	3123	0.2 %	0.3%
13820	BIRMINGHAM-HOOVER, AL METRO	3207	0.2 %	0.3%
14260	BOISE CITY-NAMPA, ID METRO	825	0.0 %	0.1%
14460	BOSTON-CAMBRIDGE-QUINCY, MA-NH METRO	48887	2.7 %	4.0%
14500	BOULDER, CO METRO	3506	0.2 %	0.3%
14740	BREMERTON-SILVERDALE, WA METRO	1197	0.1 %	0.1%
14860	BRIDGEPORT-STAMFORD-NORWALK, CT METRO	9164	0.5 %	0.7%
15180	BROWNSVILLE-HARLINGEN, TX METRO	689	0.0 %	0.1%
15380	BUFFALO-CHEEKTOWAGA-TONAWANDA, NY METRO	18651	1.0 %	1.5%
15500	BURLINGTON, NC METRO	1665	0.1 %	0.1%
15540	BURLINGTON-SOUTH BURLINGTON, VT METRO	2898	0.2 %	0.2%
15940	CANTON-MASSILLON, OH METRO	1106	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
15980	CAPE CORAL-FORT MYERS, FL METRO	674	0.0 %	0.1%
16300	CEDAR RAPIDS, IA METRO	3206	0.2 %	0.3%
16700	CHARLESTON-NORTH CHARLESTON, SC METRO	4266	0.2 %	0.3%
16740	CHARLOTTE-GASTONIA-CONCORD, NC-SC METRO	14834	0.8 %	1.2%
16820	CHARLOTTESVILLE, VA METRO	751	0.0 %	0.1%
16860	CHATTANOOGA, TN-GA METRO	1211	0.1 %	0.1%
16980	CHICAGO-NAPERVILLE-JOLIET, IL-IN-WI METRO	1	0.0 %	0.0%
17020	CHICO, CA METRO	1549	0.1 %	0.1%
17140	CINCINNATI-MIDDLETOWN, OH-KY-IN METRO	3528	0.2 %	0.3%
17300	CLARKSVILLE, TN-KY METRO	507	0.0 %	0.0%
17460	CLEVELAND-ELYRIA-MENTOR, OH METRO	577	0.0 %	0.0%
17780	COLLEGE STATION-BRYAN, TX METRO	278	0.0 %	0.0%
17820	COLORADO SPRINGS, CO METRO	7235	0.4 %	0.6%
17860	COLUMBIA, MO METRO	2343	0.1 %	0.2%
17900	COLUMBIA, SC METRO	3371	0.2 %	0.3%
18140	COLUMBUS, OH METRO	950	0.1 %	0.1%
18580	CORPUS CHRISTI, TX METRO	2314	0.1 %	0.2%
19060	CUMBERLAND, MD-WV METRO	1399	0.1 %	0.1%
19100	DALLAS-FORT WORTH-ARLINGTON, TX METRO	6377	0.3 %	0.5%
19260	DANVILLE, VA METRO	249	0.0 %	0.0%
19340	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL METRO	3109	0.2 %	0.3%
19380	DAYTON, OH METRO	693	0.0 %	0.1%
19660	DELTONA-DAYTONA BEACH-ORMOND BEACH, FL METRO	698	0.0 %	0.1%
19740	DENVER-AURORA, CO METRO	43904	2.4 %	3.6%
19780	DES MOINES, IA METRO	4724	0.3 %	0.4%
19820	DETROIT-WARREN-LIVONIA, MI METRO	24089	1.3 %	2.0%
20100	DOVER, DE METRO	735	0.0 %	0.1%
20260	DULUTH, MN-WI METRO	2486	0.1 %	0.2%
20500	DURHAM, NC METRO	2693	0.1 %	0.2%
21340	EL PASO, TX METRO	1279	0.1 %	0.1%
21500	ERIE, PA METRO	876	0.0 %	0.1%
21660	EUGENE-SPRINGFIELD, OR METRO	4503	0.2 %	0.4%
21780	EVANSVILLE, IN-KY METRO	138	0.0 %	0.0%
22020	FARGO, ND-MN METRO	924	0.1 %	0.1%
22180	FAYETTEVILLE, NC METRO	2053	0.1 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
22220	FAYETTEVILLE-SPRINGDALE-ROGERS, AR-MO METRO	758	0.0 %	0.1%
22420	FLINT, MI METRO	3511	0.2 %	0.3%
22460	FLORENCE, AL METRO	21	0.0 %	0.0%
22500	FLORENCE, SC METRO	709	0.0 %	0.1%
22660	FORT COLLINS-LOVELAND, CO METRO	2768	0.2 %	0.2%
22900	FORT SMITH, AR-OK METRO	1286	0.1 %	0.1%
23020	FORT WALTON BEACH-CRESTVIEW-DESTIN, FL METRO	162	0.0 %	0.0%
23420	FRESNO, CA METRO	5443	0.3 %	0.4%
23460	GADSDEN, AL METRO	413	0.0 %	0.0%
23540	GAINESVILLE, FL METRO	108	0.0 %	0.0%
24020	GLENS FALLS, NY METRO	1559	0.1 %	0.1%
24140	GOLDSBORO, NC METRO	1224	0.1 %	0.1%
24300	GRAND JUNCTION, CO METRO	2531	0.1 %	0.2%
24340	GRAND RAPIDS-WYOMING, MI METRO	3306	0.2 %	0.3%
24540	GREELEY, CO METRO	677	0.0 %	0.1%
24660	GREENSBORO-HIGH POINT, NC METRO	4106	0.2 %	0.3%
24780	GREENVILLE, NC METRO	1244	0.1 %	0.1%
24860	GREENVILLE, SC METRO	4310	0.2 %	0.4%
25180	HAGERSTOWN-MARTINSBURG, MD-WV METRO	1135	0.1 %	0.1%
25420	HARRISBURG-CARLISLE, PA METRO	2504	0.1 %	0.2%
25540	HARTFORD-WEST HARTFORD-EAST HARTFORD, CT METRO	23348	1.3 %	1.9%
25620	HATTIESBURG, MS METRO	515	0.0 %	0.0%
25860	HICKORY-MORGANTON-LENOIR, NC METRO	1088	0.1 %	0.1%
26100	HOLLAND-GRAND HAVEN, MI METRO	743	0.0 %	0.1%
26180	HONOLULU, HI METRO	4078	0.2 %	0.3%
26380	HOUMA-BAYOU CANE-THIBODAUX, LA METRO	949	0.1 %	0.1%
26420	HOUSTON-BAYTOWN-SUGAR LAND, TX METRO	8226	0.5 %	0.7%
26580	HUNTINGTON-ASHLAND, WV-KY-OH METRO	1551	0.1 %	0.1%
26620	HUNTSVILLE, AL METRO	70	0.0 %	0.0%
26900	INDIANAPOLIS, IN METRO	1596	0.1 %	0.1%
26980	IOWA CITY, IA METRO	2416	0.1 %	0.2%
27100	JACKSON, MI METRO	815	0.0 %	0.1%
27140	JACKSON, MS METRO	305	0.0 %	0.0%
27180	JACKSON, TN METRO	602	0.0 %	0.0%
27260	JACKSONVILLE, FL METRO	4913	0.3 %	0.4%
27340	JACKSONVILLE, NC METRO	303	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
27460	JAMESTOWN-DUNKIRK-FREDONIA, NY MICRO	1169	0.1 %	0.1%
27740	JOHNSON, CITYTN METRO	638	0.0 %	0.1%
27780	JOHNSTOWN, PA METRO	154	0.0 %	0.0%
27900	JOPLIN, MO METRO	2073	0.1 %	0.2%
28020	KALAMAZOO-PORTAGE, MI METRO	1919	0.1 %	0.2%
28100	KANKAKEE-BRADLEY, IL METRO	1	0.0 %	0.0%
28140	KANSAS CITY, MO-KS METRO	10506	0.6 %	0.9%
28420	KENNEWICK-RICHLAND-PASCO, WA METRO	1402	0.1 %	0.1%
28660	KILLEEN-TEMPLE-FORT HOOD, TX METRO	202	0.0 %	0.0%
28700	KINGSPORT-BRISTOL, TN-VA METRO	803	0.0 %	0.1%
28940	KNOXVILLE, TN METRO	1497	0.1 %	0.1%
29100	LA CROSSE, WI-MN METRO	64	0.0 %	0.0%
29180	LAFAYETTE, LA METRO	1354	0.1 %	0.1%
29340	LAKE CHARLES, LA METRO	1200	0.1 %	0.1%
29460	LAKELAND-WINTER HAVEN, FL METRO	545	0.0 %	0.0%
29540	LANCASTER, PA METRO	2186	0.1 %	0.2%
29620	LANSING-EAST LANSING, MI METRO	2273	0.1 %	0.2%
29700	LAREDO, TX METRO	688	0.0 %	0.1%
29740	LAS CRUCES, NM METRO	134	0.0 %	0.0%
29820	LAS VEGAS-PARADISE, NV METRO	4851	0.3 %	0.4%
30020	LAWTON, OK METRO	561	0.0 %	0.0%
30140	LEBANON, PA METRO	490	0.0 %	0.0%
30460	LEXINGTON-FAYETTE, KY METRO	2485	0.1 %	0.2%
30540	LEXINGTON-THOMASVILLE, NC MICRO	381	0.0 %	0.0%
30620	LIMA, OH METRO	265	0.0 %	0.0%
30700	LINCOLN, NE METRO	6920	0.4 %	0.6%
30780	LITTLE ROCK-NORTH LITTLE ROCK, AR METRO	3308	0.2 %	0.3%
30980	LONGVIEW, TX METRO	398	0.0 %	0.0%
31100	LOS ANGELES-LONG BEACH-SANTA ANA, CA METRO	52061	2.9 %	4.3%
31140	LOUISVILLE, KY-IN METRO	4365	0.2 %	0.4%
31180	LUBBOCK, TX METRO	1240	0.1 %	0.1%
31340	LYNCHBURG, VA METRO	530	0.0 %	0.0%
31460	MADERA, CA METRO	506	0.0 %	0.0%
31700	MANCHESTER-NASHUA, NH METRO	2241	0.1 %	0.2%
31900	MANSFIELD, OH METRO	48	0.0 %	0.0%
32420	MAYAGUEZ, PR METRO	118	0.0 %	0.0%
32580	MCALLEN-EDINBURG-PHARR, TX METRO	127	0.0 %	0.0%
32780	MEDFORD, OR METRO	2793	0.2 %	0.2%
32820	MEMPHIS, TN-MS-AR METRO	1988	0.1 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
32900	MERCED, CA METRO	714	0.0 %	0.1%
33100	MIAMI-FORT LAUDERDALE-MIAMI BEACH, FL METRO	9631	0.5 %	0.8%
33260	MIDLAND, TX METRO	285	0.0 %	0.0%
33460	MINNEAPOLIS-ST. PAUL-BLOOMINGTON, MN-WI METRO	29692	1.6 %	2.4%
33660	MOBILE, AL METRO	606	0.0 %	0.0%
33700	MODESTO, CA METRO	1995	0.1 %	0.2%
33740	MONROE, LA METRO	2322	0.1 %	0.2%
33780	MONROE, MI METRO	483	0.0 %	0.0%
33860	MONTGOMERY, AL METRO	1461	0.1 %	0.1%
34740	MUSKEGON-NORTON SHORES, MI METRO	1780	0.1 %	0.1%
34820	MYRTLE BEACH-CONWAY-NORTH MYRTLE BEACH, SC METRO	1286	0.1 %	0.1%
34900	NAPA, CA METRO	532	0.0 %	0.0%
34940	NAPLES-MARCO ISLAND, FL METRO	412	0.0 %	0.0%
34980	NASHVILLE-DAVIDSON--MURFREESBORO, TN METRO	1381	0.1 %	0.1%
35300	NEW HAVEN-MILFORD, CT METRO	9883	0.5 %	0.8%
35380	NEW ORLEANS-METAIRIE-KENNER, LA METRO	3385	0.2 %	0.3%
35620	NEW YORK-NEWARK-EDISON, NY-NJ-PA METRO	226755	12.4 %	18.5%
35660	NILES-BENTON HARBOR, MI METRO	836	0.0 %	0.1%
35980	NORWICH-NEW LONDON, CT METRO	4697	0.3 %	0.4%
36100	OCALA, FL METRO	327	0.0 %	0.0%
36140	OCEAN CITY, NJ METRO	1456	0.1 %	0.1%
36220	ODESSA, TX METRO	378	0.0 %	0.0%
36260	OGDEN-CLEARFIELD, UT METRO	1714	0.1 %	0.1%
36420	OKLAHOMA CITY, OK METRO	4065	0.2 %	0.3%
36500	OLYMPIA, WA METRO	1164	0.1 %	0.1%
36540	OMAHA-COUNCIL BLUFFS, NE-IA METRO	5690	0.3 %	0.5%
36740	ORLANDO, FL METRO	2033	0.1 %	0.2%
37100	OXNARD-VENTURA-THOUSAND OAKS VENTURA, CA METRO	2826	0.2 %	0.2%
37340	PALM BAY-MELBOURNE-TITUSVILLE, FL METRO	315	0.0 %	0.0%
37460	PANAMA CITY-LYNN HAVEN, FL METRO	1014	0.1 %	0.1%
37620	PARKERSBURG-MARIETTA, WV-OH METRO	653	0.0 %	0.1%
37700	PASCAGOULA, MS METRO	19	0.0 %	0.0%
37860	PENSACOLA-FERRY PASS-BRENT, FL METRO	1955	0.1 %	0.2%
37980	PHILADELPHIA-CAMDEN-WILMINGTON, PA-NJ-DE-M METRO	22842	1.3 %	1.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
38300	PITTSBURGH, PA METRO	10176	0.6 %	0.8%
38660	PONCE, PR METRO	489	0.0 %	0.0%
38860	PORTLAND-SOUTH PORTLAND, ME METRO	4899	0.3 %	0.4%
38900	PORTLAND-VANCOUVER-BEAVERTON, OR-WA METRO	23733	1.3 %	1.9%
38940	PORT ST. LUCIE, FL METRO	597	0.0 %	0.0%
39100	POUGHKEEPSIE-NEWBURGH-MIDDLETOWN, NY METRO	10328	0.6 %	0.8%
39300	PROVIDENCE-NEW BEDFORD-FALL RIVER, RI-MA METRO	18714	1.0 %	1.5%
39340	PROVO-OREM, UT METRO	583	0.0 %	0.0%
39380	PUEBLO, CO METRO	5061	0.3 %	0.4%
39460	PUNTA GORDA, FL METRO	216	0.0 %	0.0%
39580	RALEIGH-CARY, NC METRO	3257	0.2 %	0.3%
39740	READING, PA METRO	802	0.0 %	0.1%
39820	REDDING, CA METRO	1433	0.1 %	0.1%
39900	RENO-SPARKS, NV METRO	1490	0.1 %	0.1%
40060	RICHMOND, VA METRO	4056	0.2 %	0.3%
40140	RIVERSIDE-SAN BERNARDINO-ONTARIO, CA METRO	12864	0.7 %	1.1%
40220	ROANOKE, VA METRO	1117	0.1 %	0.1%
40340	ROCHESTER, MN METRO	1641	0.1 %	0.1%
40380	ROCHESTER, NY METRO	15256	0.8 %	1.2%
40580	ROCKY MOUNT, NC METRO	1094	0.1 %	0.1%
40900	SACRAMENTO--ARDEN-ARCADE--ROSEVILLE, CA METRO	9370	0.5 %	0.8%
40980	SAGINAW-SAGINZW TOWNSHIP NORTH, MI METRO	2271	0.1 %	0.2%
41060	SAINT CLOUD, MN METRO	2436	0.1 %	0.2%
41140	SAINT JOSEPH, MO-KS METRO	1186	0.1 %	0.1%
41180	SAINT LOUIS, MO-IL METRO	12093	0.7 %	1.0%
41420	SALEM, OR METRO	2673	0.1 %	0.2%
41500	SALINAS, CA METRO	1088	0.1 %	0.1%
41580	SALISBURY, NC MICRO	288	0.0 %	0.0%
41620	SALT LAKE CITY, UT METRO	9961	0.5 %	0.8%
41660	SAN ANGELO, TX METRO	245	0.0 %	0.0%
41700	SAN ANTONIO, TX METRO	4355	0.2 %	0.4%
41740	SAN DIEGO-CARLSBAD-SAN MARCOS, CA METRO	12761	0.7 %	1.0%
41860	SAN FRANCISCO-OAKLAND-FREMONT, CA METRO	20038	1.1 %	1.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41940	SAN JOSE-SUNNYVALE-SANTA CLARA, CA METRO	7408	0.4 %	0.6%
41980	SAN JUAN-CAGUAS-GUAYNABO, PR METRO	938	0.1 %	0.1%
42020	SAN LUIS OBISPO-PASO ROBLES, CA METRO	1184	0.1 %	0.1%
42060	SANTA BARBARA-SANTA MARIA-GOLETA, CA METRO	2396	0.1 %	0.2%
42100	SANTA CRUZ-WATSONVILLE, CA METRO	842	0.0 %	0.1%
42140	SANTA FE, NM METRO	659	0.0 %	0.1%
42220	SANTA ROSA, CA METRO	4006	0.2 %	0.3%
42260	SARASOTA-BRADENTON-VENICE, FL METRO	93	0.0 %	0.0%
42540	SCRANTON--WILKES-BARRE-, PA METRO	2632	0.1 %	0.2%
42660	SEATTLE-TACOMA-BELLEVUE, WA METRO	14943	0.8 %	1.2%
43300	SHERMAN-DENISON, TX METRO	188	0.0 %	0.0%
43340	SHREVEPORT-BOSSIER CITY, LA METRO	1584	0.1 %	0.1%
43580	SIOUX CITY, IA-NE-SD METRO	1910	0.1 %	0.2%
43620	SIOUX FALLS, SD METRO	5768	0.3 %	0.5%
43900	SPARTANBURG, SC METRO	1906	0.1 %	0.2%
44060	SPOKANE, WA METRO	3762	0.2 %	0.3%
44140	SPRINGFIELD, MA METRO	7288	0.4 %	0.6%
44180	SPRINGFIELD, MO METRO	2481	0.1 %	0.2%
44220	SPRINGFIELD, OH METRO	58	0.0 %	0.0%
44300	STATE COLLEGE, PA METRO	384	0.0 %	0.0%
44700	STOCKTON, CA METRO	2467	0.1 %	0.2%
44940	SUMTER, SC METRO	697	0.0 %	0.1%
45060	SYRACUSE, NY METRO	10543	0.6 %	0.9%
45220	TALLAHASSEE, FL METRO	825	0.0 %	0.1%
45300	TAMPA-ST. PETERSBURG-CLEARWATER, FL METRO	5575	0.3 %	0.5%
45500	TEXARKANA TX-TEXARKANA, AR METRO	481	0.0 %	0.0%
45780	TOLEDO, OH METRO	639	0.0 %	0.1%
45820	TOPEKA, KS METRO	1290	0.1 %	0.1%
45940	TRENTON-EWING, NJ METRO	2153	0.1 %	0.2%
46140	TULSA, OK METRO	1969	0.1 %	0.2%
46220	TUSCALOOSA, AL METRO	250	0.0 %	0.0%
46340	TYLER, TX METRO	160	0.0 %	0.0%
46540	UTICA-ROME, NY METRO	4180	0.2 %	0.3%
46700	VALLEJO-FAIRFIELD, CA METRO	1523	0.1 %	0.1%
47220	VINELAND-MILLVILLE-BRIDGETON, NJ METRO	3642	0.2 %	0.3%
47260	VIRGINIA BEACH-NORFOLK-NEWPORT NEWS, VA-NC METRO	5245	0.3 %	0.4%
47300	VISALIA-PORTERVILLE, CA METRO	3241	0.2 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
47360	WACO, TX METRO	1247	0.1 %	0.1%
47900	WASHINGTON-ARLINGTON-ALEXANDRIA, DC-VA-MD-W METRO	16092	0.9 %	1.3%
47940	WATERLOO-CEDAR FALLS, IA METRO	2226	0.1 %	0.2%
48260	WEIRTON-STEUBENVILLE, WV-OH METRO	23	0.0 %	0.0%
48540	WHEELING, WV-OH METRO	57	0.0 %	0.0%
48620	WICHITA, KS METRO	4590	0.3 %	0.4%
48660	WICHITA FALLS, TX METRO	338	0.0 %	0.0%
48700	WILLIAMSPORT, PA METRO	721	0.0 %	0.1%
48900	WILMINGTON, NC METRO	2393	0.1 %	0.2%
49180	WINSTON-SALEM, NC METRO	3968	0.2 %	0.3%
49340	WORCESTER, MA METRO	10733	0.6 %	0.9%
49420	YAKIMA, WA METRO	2955	0.2 %	0.2%
49620	YORK-HANOVER, PA METRO	872	0.0 %	0.1%
49660	YOUNGSTOWN-WARREN-BOARDMAN, OH-PA METRO	1555	0.1 %	0.1%
49700	YUBA CITY-MARYSVILLE, CA METRO	781	0.0 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	600107	32.9 %	-

Based upon 1222899 valid cases out of 1823006 total cases.

PMSA

FIPS 1990 MSA CODE

Location: 46-49 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	ABILENE, TX MSA	207	0.0 %	0.0%
60	AGUADILLA, PR MSA	6	0.0 %	0.0%
80	AKRON, OH PMSA	867	0.0 %	0.1%
160	ALBANY-SCHENECTADY-TROY, NY MSA	18691	1.0 %	1.5%
200	ALBUQUERQUE, NM MSA	1686	0.1 %	0.1%
220	ALEXANDRIA, LA MSA	2077	0.1 %	0.2%
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	1856	0.1 %	0.2%
280	ALTOONA, PA MSA	4633	0.3 %	0.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
320	AMARILLO, TX MSA	315	0.0 %	0.0%
380	ANCHORAGE, AK MSA	1895	0.1 %	0.2%
440	ANN ARBOR, MI PMSA	1438	0.1 %	0.1%
450	ANNISTON, AL MSA	35	0.0 %	0.0%
470	ARECIBO, PR PMSA	409	0.0 %	0.0%
480	ASHEVILLE, NC MSA	1912	0.1 %	0.2%
560	ATLANTIC-CAPE MAY, NJ PMSA	4658	0.3 %	0.4%
600	AUGUSTA-AIKEN, GA-SC MSA	987	0.1 %	0.1%
640	AUSTIN-SAN MARCOS, TX MSA	2083	0.1 %	0.2%
680	BAKERSFIELD, CA MSA	2193	0.1 %	0.2%
720	BALTIMORE, MD PMSA	20447	1.1 %	1.7%
743	BARNSTABLE-YARMOUTH, MA NECMA	5492	0.3 %	0.4%
760	BATON ROUGE, LA MSA	3529	0.2 %	0.3%
840	BEAUMONT-PORT ARTHUR, TX MSA	1371	0.1 %	0.1%
860	BELLINGHAM, WA MSA	1554	0.1 %	0.1%
870	BENTON HARBOR, MI MSA	836	0.0 %	0.1%
875	BERGEN-PASSAIC, NJ PMSA	8048	0.4 %	0.7%
880	BILLINGS, MT MSA	1140	0.1 %	0.1%
920	BILOXI-GULFPORT-PASCAGOULA, MS MSA	19	0.0 %	0.0%
960	BINGHAMTON, NY MSA	3123	0.2 %	0.3%
1000	BIRMINGHAM, AL MSA	3207	0.2 %	0.3%
1080	BOISE CITY, ID MSA	825	0.0 %	0.1%
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	70840	3.9 %	5.8%
1125	BOULDER-LONGMONT, CO PMSA	3532	0.2 %	0.3%
1145	BRAZORIA, TX PMSA	741	0.0 %	0.1%
1150	BREMERTON, WA PMSA	1197	0.1 %	0.1%
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	689	0.0 %	0.1%
1260	BRYAN-COLLEGE STATION, TX MSA	278	0.0 %	0.0%
1280	BUFFALO-NIAGARA FALLS, NY MSA	18651	1.0 %	1.5%
1303	BURLINGTON, VT NECMA	2898	0.2 %	0.2%
1310	CAGUAS, PR PMSA	53	0.0 %	0.0%
1320	CANTON-MASSILLON, OH MSA	1106	0.1 %	0.1%
1360	CEDAR RAPIDS, IA MSA	3206	0.2 %	0.3%
1440	CHARLESTON-NORTH CHARLESTON, SC MSA	4266	0.2 %	0.3%
1520	CHARLOTTE-GASTONIA-ROCK HILL, NC-SC MSA	15122	0.8 %	1.2%
1540	CHARLOTTESVILLE, VA MSA	751	0.0 %	0.1%
1560	CHATTANOOGA, TN-GA MSA	1211	0.1 %	0.1%
1600	CHICAGO, IL PMSA	1	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1620	CHICO-PARADISE, CA MSA	1549	0.1 %	0.1%
1640	CINCINNATI, OH-KY-IN PMSA	2925	0.2 %	0.2%
1660	CLARKSVILLE-HOPKINSVILLE, TN-KY MSA	507	0.0 %	0.0%
1680	CLEVELAND-LORAIN-ELYRIA, OH PMSA	697	0.0 %	0.1%
1720	COLORADO SPRINGS, CO MSA	7235	0.4 %	0.6%
1740	COLUMBIA, MO MSA	2343	0.1 %	0.2%
1760	COLUMBIA, SC MSA	3371	0.2 %	0.3%
1840	COLUMBUS, OH MSA	950	0.1 %	0.1%
1880	CORPUS CHRISTI, TX MSA	2314	0.1 %	0.2%
1900	CUMBERLAND, MD-WV MSA	1399	0.1 %	0.1%
1920	DALLAS, TX PMSA	2669	0.1 %	0.2%
1950	DANVILLE, VA MSA	249	0.0 %	0.0%
1960	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL MSA	3109	0.2 %	0.3%
2000	DAYTON-SPRINGFIELD, OH MSA	751	0.0 %	0.1%
2020	DAYTONA BEACH, FL MSA	698	0.0 %	0.1%
2080	DENVER, CO PMSA	43878	2.4 %	3.6%
2120	DES MOINES, IA MSA	4724	0.3 %	0.4%
2160	DETROIT, MI PMSA	24394	1.3 %	2.0%
2190	DOVER, DE MSA	735	0.0 %	0.1%
2240	DULUTH-SUPERIOR, MN-WI MSA	2486	0.1 %	0.2%
2281	DUTCHESS COUNTY, NY PMSA	5867	0.3 %	0.5%
2320	EL PASO, TX MSA	1279	0.1 %	0.1%
2360	ERIE, PA MSA	876	0.0 %	0.1%
2400	EUGENE-SPRINGFIELD, OR MSA	4503	0.2 %	0.4%
2440	EVANSVILLE-HENDERSON, IN-KY MSA	138	0.0 %	0.0%
2520	FARGO-MOORHEAD, ND-MN MSA	924	0.1 %	0.1%
2560	FAYETTEVILLE, NC MSA	2053	0.1 %	0.2%
2580	FAYETTEVILLE-SPRINGDALE-ROGERS, AR MSA	758	0.0 %	0.1%
2640	FLINT, MI PMSA	3511	0.2 %	0.3%
2650	FLORENCE, AL MSA	21	0.0 %	0.0%
2655	FLORENCE, SC MSA	709	0.0 %	0.1%
2670	FORT COLLINS-LOVELAND, CO MSA	2768	0.2 %	0.2%
2680	FORT LAUDERDALE, FL PMSA	4137	0.2 %	0.3%
2700	FORT MYERS-CAPE CORAL, FL MSA	674	0.0 %	0.1%
2710	FORT PIERCE-PORT ST. LUCIE, FL MSA	597	0.0 %	0.0%
2720	FORT SMITH, AR-OK MSA	1286	0.1 %	0.1%
2750	FORT WALTON BEACH, FL MSA	162	0.0 %	0.0%
2800	FORT WORTH-ARLINGTON, TX PMSA	3708	0.2 %	0.3%
2840	FRESNO, CA MSA	5949	0.3 %	0.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2880	GADSDEN, AL MSA	413	0.0 %	0.0%
2900	GAINESVILLE, FL MSA	108	0.0 %	0.0%
2920	GALVESTON-TEXAS CITY, TX PMSA	547	0.0 %	0.0%
2975	GLENS FALLS, NY MSA	1559	0.1 %	0.1%
2980	GOLDSBORO, NC MSA	1224	0.1 %	0.1%
2995	GRAND JUNCTION, CO MSA	2531	0.1 %	0.2%
3000	GRAND RAPIDS-MUSKEGON-HOLLAND, MI MSA	6100	0.3 %	0.5%
3060	GREELEY, CO PMSA	677	0.0 %	0.1%
3120	GREENSBORO--WINSTON-SALEM--HIGH POINT, NC MSA	10120	0.6 %	0.8%
3150	GREENVILLE, NC MSA	1244	0.1 %	0.1%
3160	GREENVILLE-SPARTANBURG-ANDERSON, SC MSA	7328	0.4 %	0.6%
3180	HAGERSTOWN, MD PMSA	1123	0.1 %	0.1%
3200	HAMILTON-MIDDLETOWN, OH PMSA	603	0.0 %	0.0%
3240	HARRISBURG-LEBANON-CARLISLE, PA MSA	2994	0.2 %	0.2%
3283	HARTFORD, CT NECMA	23348	1.3 %	1.9%
3285	HATTIESBURG, MS MSA	515	0.0 %	0.0%
3290	HICKORY-MORGANTON, NC MSA	1088	0.1 %	0.1%
3320	HONOLULU, HI MSA	4078	0.2 %	0.3%
3350	HOUMA, LA MSA	949	0.1 %	0.1%
3360	HOUSTON, TX PMSA	6938	0.4 %	0.6%
3400	HUNTINGTON-ASHLAND, WV-KY-OH MSA	1551	0.1 %	0.1%
3440	HUNTSVILLE, AL MSA	70	0.0 %	0.0%
3480	INDIANAPOLIS, IN MSA	1596	0.1 %	0.1%
3500	IOWA CITY, IA MSA	2416	0.1 %	0.2%
3520	JACKSON, MI MSA	815	0.0 %	0.1%
3560	JACKSON, MS MSA	305	0.0 %	0.0%
3580	JACKSON, TN MSA	602	0.0 %	0.0%
3600	JACKSONVILLE, FL MSA	4913	0.3 %	0.4%
3605	JACKSONVILLE, NC MSA	303	0.0 %	0.0%
3610	JAMESTOWN, NY MSA	1169	0.1 %	0.1%
3640	JERSEY CITY, NJ PMSA	3489	0.2 %	0.3%
3660	JOHNSON CITY-KINGSPORT-BRISTOL, TN-VA MSA	1441	0.1 %	0.1%
3680	JOHNSTOWN, PA MSA	154	0.0 %	0.0%
3710	JOPLIN, MO MSA	2073	0.1 %	0.2%
3720	KALAMAZOO-BATTLE CREEK, MI MSA	2614	0.1 %	0.2%
3740	KANKAKEE, IL PMSA	1	0.0 %	0.0%
3760	KANSAS CITY, MO-KS MSA	10506	0.6 %	0.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3810	KILLEEN-TEMPLE, TX MSA	202	0.0 %	0.0%
3840	KNOXVILLE, TN MSA	1497	0.1 %	0.1%
3870	LA CROSSE, WI-MN MSA	64	0.0 %	0.0%
3880	LAFAYETTE, LA MSA	1354	0.1 %	0.1%
3960	LAKE CHARLES, LA MSA	1200	0.1 %	0.1%
3980	LAKELAND-WINTER HAVEN, FL MSA	545	0.0 %	0.0%
4000	LANCASTER, PA MSA	2186	0.1 %	0.2%
4040	LANSING-EAST LANSING, MI MSA	2273	0.1 %	0.2%
4080	LAREDO, TX MSA	688	0.0 %	0.1%
4100	LAS CRUCES, NM MSA	134	0.0 %	0.0%
4120	LAS VEGAS, NV-AZ MSA	4851	0.3 %	0.4%
4200	LAWTON, OK MSA	561	0.0 %	0.0%
4280	LEXINGTON, KY MSA	2485	0.1 %	0.2%
4320	LIMA, OH MSA	265	0.0 %	0.0%
4360	LINCOLN, NE MSA	6920	0.4 %	0.6%
4400	LITTLE ROCK-NORTH LITTLE ROCK, AR MSA	3308	0.2 %	0.3%
4420	LONGVIEW-MARSHALL, TX MSA	398	0.0 %	0.0%
4480	LOS ANGELES-LONG BEACH, CA PMSA	43380	2.4 %	3.5%
4520	LOUISVILLE, KY-IN MSA	4365	0.2 %	0.4%
4600	LUBBOCK, TX MSA	1240	0.1 %	0.1%
4640	LYNCHBURG, VA MSA	530	0.0 %	0.0%
4800	MANSFIELD, OH MSA	48	0.0 %	0.0%
4840	MAYAGUEZ, PR MSA	118	0.0 %	0.0%
4880	MCALLEN-EDINBURG-MISSION, TX MSA	127	0.0 %	0.0%
4890	MEDFORD-ASHLAND, OR MSA	2793	0.2 %	0.2%
4900	MELBOURNE-TITUSVILLE-PALM BAY, FL MSA	315	0.0 %	0.0%
4920	MEMPHIS, TN-AR-MS MSA	1988	0.1 %	0.2%
4940	MERCED, CA MSA	714	0.0 %	0.1%
5000	MIAMI, FL PMSA	2187	0.1 %	0.2%
5015	MIDDLESEX-SOMERSET-HUNTERDON, NJ PMSA	5643	0.3 %	0.5%
5120	MINNEAPOLIS-ST. PAUL, MN-WI MSA	29692	1.6 %	2.4%
5160	MOBILE, AL MSA	606	0.0 %	0.0%
5170	MODESTO, CA MSA	1995	0.1 %	0.2%
5190	MONMOUTH-OCEAN, NJ PMSA	12025	0.7 %	1.0%
5200	MONROE, LA MSA	2322	0.1 %	0.2%
5240	MONTGOMERY, AL MSA	1461	0.1 %	0.1%
5330	MYRTLE BEACH, SC MSA	1286	0.1 %	0.1%
5345	NAPLES, FL MSA	412	0.0 %	0.0%
5360	NASHVILLE, TN MSA	1381	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5380	NASSAU-SUFFOLK, NY PMSA	32152	1.8 %	2.6%
5483	NEW HAVEN-BRIDGEPORT-STAMFORD-WATERBURY-DANBURY, CT NECMA	19047	1.0 %	1.6%
5523	NEW LONDON-NORWICH, CT NECMA	4697	0.3 %	0.4%
5560	NEW ORLEANS, LA MSA	3385	0.2 %	0.3%
5600	NEW YORK, NY PMSA	147133	8.1 %	12.0%
5640	NEWARK, NJ PMSA	19168	1.1 %	1.6%
5660	NEWBURGH, NY-PA PMSA	4461	0.2 %	0.4%
5720	NORFOLK-VIRGINIA BEACH-NEWPORT NEWS, VA-NC MSA	5245	0.3 %	0.4%
5775	OAKLAND, CA PMSA	9914	0.5 %	0.8%
5790	OCALA, FL MSA	327	0.0 %	0.0%
5800	ODESSA-MIDLAND, TX MSA	663	0.0 %	0.1%
5880	OKLAHOMA CITY, OK MSA	4065	0.2 %	0.3%
5910	OLYMPIA, WA PMSA	1164	0.1 %	0.1%
5920	OMAHA, NE-IA MSA	5690	0.3 %	0.5%
5945	ORANGE COUNTY, CA PMSA	8681	0.5 %	0.7%
5960	ORLANDO, FL MSA	2033	0.1 %	0.2%
6015	PANAMA CITY, FL MSA	1014	0.1 %	0.1%
6020	PARKERSBURG-MARIETTA, WV-OH MSA	653	0.0 %	0.1%
6080	PENSACOLA, FL MSA	1955	0.1 %	0.2%
6160	PHILADELPHIA, PA-NJ PMSA	17819	1.0 %	1.5%
6280	PITTSBURGH, PA MSA	10176	0.6 %	0.8%
6360	PONCE, PR MSA	489	0.0 %	0.0%
6403	PORTLAND, ME NECMA	4899	0.3 %	0.4%
6440	PORTLAND-VANCOUVER, OR-WA PMSA	23733	1.3 %	1.9%
6483	PROVIDENCE-WARWICK-PAWTUCKET, RI NECMA	9735	0.5 %	0.8%
6520	PROVO-OREM, UT MSA	583	0.0 %	0.0%
6560	PUEBLO, CO MSA	5061	0.3 %	0.4%
6580	PUNTA GORDA, FL MSA	216	0.0 %	0.0%
6640	RALEIGH-DURHAM-CHAPEL HILL, NC MSA	5950	0.3 %	0.5%
6680	READING, PA MSA	802	0.0 %	0.1%
6690	REDDING, CA MSA	1433	0.1 %	0.1%
6720	RENO, NV MSA	1490	0.1 %	0.1%
6740	RICHLAND-KENNEWICK-PASCO, WA MSA	1402	0.1 %	0.1%
6760	RICHMOND-PETERSBURG, VA MSA	4056	0.2 %	0.3%
6780	RIVERSIDE-SAN BERNARDINO, CA PMSA	12864	0.7 %	1.1%
6800	ROANOKE, VA MSA	1117	0.1 %	0.1%
6820	ROCHESTER, MN MSA	1641	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6840	ROCHESTER, NY MSA	15256	0.8 %	1.2%
6895	ROCKY MOUNT, NC MSA	1094	0.1 %	0.1%
6920	SACRAMENTO, CA PMSA	8588	0.5 %	0.7%
6960	SAGINAW-BAY CITY-MIDLAND, MI MSA	2393	0.1 %	0.2%
6980	ST. CLOUD, MN MSA	2436	0.1 %	0.2%
7000	ST. JOSEPH, MO MSA	1186	0.1 %	0.1%
7040	ST. LOUIS, MO-IL MSA	12093	0.7 %	1.0%
7080	SALEM, OR PMSA	2673	0.1 %	0.2%
7120	SALINAS, CA MSA	1088	0.1 %	0.1%
7160	SALT LAKE CITY-OGDEN, UT MSA	11675	0.6 %	1.0%
7200	SAN ANGELO, TX MSA	245	0.0 %	0.0%
7240	SAN ANTONIO, TX MSA	4355	0.2 %	0.4%
7320	SAN DIEGO, CA MSA	12761	0.7 %	1.0%
7360	SAN FRANCISCO, CA PMSA	10124	0.6 %	0.8%
7400	SAN JOSE, CA PMSA	7408	0.4 %	0.6%
7440	SAN JUAN-BAYAMON, PR PMSA	476	0.0 %	0.0%
7460	SAN LUIS OBISPO-ATASCADERO-PASO ROBLES, CA MSA	1184	0.1 %	0.1%
7480	SANTA BARBARA-SANTA MARIA-LOMPOC, CA MSA	2396	0.1 %	0.2%
7485	SANTA CRUZ-WATSONVILLE, CA PMSA	842	0.0 %	0.1%
7490	SANTA FE, NM MSA	659	0.0 %	0.1%
7500	SANTA ROSA, CA PMSA	4006	0.2 %	0.3%
7510	SARASOTA-BRADENTON, FL MSA	93	0.0 %	0.0%
7560	SCRANTON--WILKES-BARRE--HAZLETON, PA MSA	2632	0.1 %	0.2%
7600	SEATTLE-BELLEVUE-EVERETT, WA PMSA	11106	0.6 %	0.9%
7610	SHARON, PA MSA	185	0.0 %	0.0%
7640	SHERMAN-DENISON, TX MSA	188	0.0 %	0.0%
7680	SHREVEPORT-BOSSIER CITY, LA MSA	1584	0.1 %	0.1%
7720	SIOUX CITY, IA-NE MSA	1910	0.1 %	0.2%
7760	SIOUX FALLS, SD MSA	5768	0.3 %	0.5%
7840	SPOKANE, WA MSA	3762	0.2 %	0.3%
7920	SPRINGFIELD, MO MSA	2481	0.1 %	0.2%
8003	SPRINGFIELD, MA NECMA	7288	0.4 %	0.6%
8050	STATE COLLEGE, PA MSA	384	0.0 %	0.0%
8080	STEUBENVILLE-WEIRTON, OH-WV MSA	23	0.0 %	0.0%
8120	STOCKTON-LODI, CA MSA	2467	0.1 %	0.2%
8140	SUMTER, SC MSA	697	0.0 %	0.1%
8160	SYRACUSE, NY MSA	10543	0.6 %	0.9%
8200	TACOMA, WA PMSA	3837	0.2 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8240	TALLAHASSEE, FL MSA	825	0.0 %	0.1%
8280	TAMPA-ST. PETERSBURG-CLEARWATER, FL MSA	5575	0.3 %	0.5%
8360	TEXARKANA, TX-TEXARKANA, AR MSA	481	0.0 %	0.0%
8400	TOLEDO, OH MSA	639	0.0 %	0.1%
8440	TOPEKA, KS MSA	1290	0.1 %	0.1%
8480	TRENTON, NJ PMSA	2153	0.1 %	0.2%
8560	TULSA, OK MSA	1969	0.1 %	0.2%
8600	TUSCALOOSA, AL MSA	250	0.0 %	0.0%
8640	TYLER, TX MSA	160	0.0 %	0.0%
8680	UTICA-ROME, NY MSA	4180	0.2 %	0.3%
8720	VALLEJO-FAIRFIELD-NAPA, CA PMSA	2055	0.1 %	0.2%
8735	VENTURA, CA PMSA	2826	0.2 %	0.2%
8760	VINELAND-MILLVILLE-BRIDGETON, NJ PMSA	3642	0.2 %	0.3%
8780	VISALIA-TULARE-PORTERVILLE, CA MSA	3241	0.2 %	0.3%
8800	WACO, TX MSA	1247	0.1 %	0.1%
8840	WASHINGTON, DC-MD-VA-WV PMSA	16104	0.9 %	1.3%
8920	WATERLOO-CEDAR FALLS, IA MSA	2226	0.1 %	0.2%
8960	WEST PALM BEACH-BOCA RATON, FL MSA	3307	0.2 %	0.3%
9000	WHEELING, WV-OH MSA	57	0.0 %	0.0%
9040	WICHITA, KS MSA	4590	0.3 %	0.4%
9080	WICHITA FALLS, TX MSA	338	0.0 %	0.0%
9140	WILLIAMSPORT, PA MSA	721	0.0 %	0.1%
9160	WILMINGTON-NEWARK, DE-MD PMSA	5023	0.3 %	0.4%
9200	WILMINGTON, NC MSA	2393	0.1 %	0.2%
9260	YAKIMA, WA MSA	2955	0.2 %	0.2%
9270	YOLO, CA PMSA	782	0.0 %	0.1%
9280	YORK, PA MSA	872	0.0 %	0.1%
9320	YOUNGSTOWN-WARREN, OH MSA	1370	0.1 %	0.1%
9340	YUBA CITY, CA MSA	781	0.0 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	600107	32.9 %	-

Based upon 1222899 valid cases out of 1823006 total cases.

REGION

CENSUS REGION

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS REGION: Geographic regions used are based on divisions

used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	US JURISDICTION/TERRITORY	1837	0.1 %	0.1%
1	NORTHEAST	616234	33.8 %	33.8%
2	MIDWEST	434329	23.8 %	23.8%
3	SOUTH	361207	19.8 %	19.8%
4	WEST	409399	22.5 %	22.5%

Based upon 1823006 valid cases out of 1823006 total cases.

DIVISION	CENSUS DIVISION
----------	-----------------

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.

- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.

- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.

- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.

- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.

- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.

- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.

- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	US JURISDICTION/TERRITORY	1837	0.1 %	0.1%
1	NEW ENGLAND	176181	9.7 %	9.7%
2	MID-ATLANTIC	440053	24.1 %	24.1%
3	EAST NORTH CENTRAL	253953	13.9 %	13.9%
4	WEST NORTH CENTRAL	180376	9.9 %	9.9%
5	SOUTH ATLANTIC	212773	11.7 %	11.7%
6	EAST SOUTH CENTRAL	57839	3.2 %	3.2%
7	WEST SOUTH CENTRAL	90595	5.0 %	5.0%
8	MOUNTAIN	145549	8.0 %	8.0%
9	PACIFIC	263850	14.5 %	14.5%

Based upon 1823006 valid cases out of 1823006 total cases.

SERVSETA

SERVICE SETTING AT ADMISSION

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:
24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:
24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.
- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):
24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):
Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):
Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.
- AMBULATORY - INTENSIVE OUTPATIENT:
As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.
- AMBULATORY - NON-INTENSIVE OUTPATIENT:
Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.
- AMBULATORY - DETOXIFICATION:
Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DETOX, 24 HR, HOSPITAL INPATIENT	68983	3.8 %	3.8%
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	295003	16.2 %	16.2%
3	REHAB/RES, HOSPITAL (NON-DETOX)	6503	0.4 %	0.4%
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	168543	9.2 %	9.2%
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	137940	7.6 %	7.6%
6	AMBULATORY, INTENSIVE OUTPATIENT	218421	12.0 %	12.0%
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	908650	49.8 %	49.9%
8	AMBULATORY, DETOXIFICATION	18724	1.0 %	1.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	239	0.0 %	-

Based upon 1822767 valid cases out of 1823006 total cases.

METHUSE

MEDICATION-ASSISTED OPIOID THERAPY

Location:

56-57 (width: 2; decimal: 0)

Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	109288	6.0 %	6.1%
2	NO	1672377	91.7 %	93.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	41341	2.3 %	-

Based upon 1781665 valid cases out of 1823006 total cases.

DAYWAIT DAYS WAITING TO ENTER TREATMENT

Location: 58-60 (width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Based upon 929611 valid cases out of 1823006 total cases.

- Mean: 10.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 58.22

PSOURCE PRINCIPAL SOURCE OF REFERRAL

Location: 61-62 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.

- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.
- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	594306	32.6 %	33.1%
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	177026	9.7 %	9.9%
3	OTHER HEALTH CARE PROVIDER	114574	6.3 %	6.4%
4	SCHOOL (EDUCATIONAL)	20907	1.1 %	1.2%
5	EMPLOYER/EAP	8851	0.5 %	0.5%
6	OTHER COMMUNITY REFERRAL	216890	11.9 %	12.1%
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	661197	36.3 %	36.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	29255	1.6 %	-

Based upon 1793751 valid cases out of 1823006 total cases.

DETCRIM	DETAILED CRIMINAL JUSTICE REFERRAL
---------	------------------------------------

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT

- PROBATION/PAROLE

- DIVERSIONARY PROGRAM (e.g. TASC)

- PRISON

- DUI/DWI

- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

Value	Label	Unweighted Frequency	%	Valid %
1	STATE/FEDERAL COURT, OTHER COURT	139191	7.6 %	29.2%
3	PROBATION/PAROLE	164844	9.0 %	34.6%
5	DIVERSIONARY PROGRAM	11709	0.6 %	2.5%
6	PRISON	11583	0.6 %	2.4%
7	DUI/DWI	51245	2.8 %	10.8%
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	98007	5.4 %	20.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1346427	73.9 %	-

Based upon 476579 valid cases out of 1823006 total cases.

NOPRIOR	NUMBER OF PRIOR TREATMENT EPISODES
---------	------------------------------------

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be

counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO PRIOR TREATMENT EPISODES	667759	36.6 %	40.4%
1	1 PRIOR TREATMENT EPISODES	367616	20.2 %	22.2%
2	2 PRIOR TREATMENT EPISODES	208377	11.4 %	12.6%
3	3 PRIOR TREATMENT EPISODES	123201	6.8 %	7.5%
4	4 PRIOR TREATMENT EPISODES	70003	3.8 %	4.2%
5	5 OR MORE PRIOR TREATMENT EPISODES	215623	11.8 %	13.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	170427	9.3 %	-

Based upon 1652579 valid cases out of 1823006 total cases.

SUB1	SUBSTANCE PROBLEM CODE (PRIMARY)
------	----------------------------------

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's primary substance problem.

(1) NONE

(2) ALCOHOL

(3) COCAINE/CRACK

(4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.

(5) HEROIN

(6) NON-PRESCRIPTION METHADONE

(7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

(8) PCP: Phencyclidine

(9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	17367	1.0 %	1.0%
2	ALCOHOL	744785	40.9 %	41.0%
3	COCAINE/CRACK	148373	8.1 %	8.2%
4	MARIJUANA/HASHISH	336174	18.4 %	18.5%
5	HEROIN	256285	14.1 %	14.1%
6	NON-PRESCRIPTION METHADONE	5953	0.3 %	0.3%
7	OTHER OPIATES AND SYNTHETICS	151437	8.3 %	8.3%
8	PCP	4503	0.2 %	0.2%
9	OTHER HALLUCINOGENS	1680	0.1 %	0.1%
10	METHAMPHETAMINE	104054	5.7 %	5.7%
11	OTHER AMPHETAMINES	8558	0.5 %	0.5%
12	OTHER STIMULANTS	1154	0.1 %	0.1%
13	BENZODIAZEPINES	15245	0.8 %	0.8%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	496	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
15	BARBITURATES	1371	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2753	0.2 %	0.2%
17	INHALANTS	1450	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	2251	0.1 %	0.1%
20	OTHER	14542	0.8 %	0.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	4575	0.3 %	-

Based upon 1818431 valid cases out of 1823006 total cases.

ROUTE1 USUAL ROUTE OF ADMINISTRATION (PRIMARY)

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	882406	48.4 %	49.1%
2	SMOKING	525847	28.8 %	29.3%
3	INHALATION	148158	8.1 %	8.2%
4	INJECTION (IV OR INTRAMUSCULAR)	232035	12.7 %	12.9%
20	OTHER	8018	0.4 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	26542	1.5 %	-

Based upon 1796464 valid cases out of 1823006 total cases.

FREQ1 FREQUENCY OF USE (PRIMARY)

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the frequency of use of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	513445	28.2 %	28.7%
2	1-3 TIMES IN THE PAST MONTH	225086	12.3 %	12.6%
3	1-2 TIMES IN THE PAST WEEK	164039	9.0 %	9.2%
4	3-6 TIMES IN THE PAST WEEK	203865	11.2 %	11.4%
5	DAILY	683585	37.5 %	38.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	32986	1.8 %	-

Based upon 1790020 valid cases out of 1823006 total cases.

FRSTUSE1 AGE AT FIRST USE (PRIMARY)

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	130598	7.2 %	7.3%
2	12-14	409926	22.5 %	22.9%
3	15-17	524068	28.7 %	29.2%
4	18-20	314234	17.2 %	17.5%
5	21-24	172266	9.4 %	9.6%
6	25-29	112739	6.2 %	6.3%
7	30-34	57455	3.2 %	3.2%
8	35-39	33680	1.8 %	1.9%
9	40-44	19365	1.1 %	1.1%
10	45-49	10535	0.6 %	0.6%
11	50-54	4878	0.3 %	0.3%
12	55 AND OVER	2477	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	30785	1.7 %	-

Based upon 1792221 valid cases out of 1823006 total cases.

SUB2 SUBSTANCE PROBLEM CODE (SECONDARY)

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine

- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	778996	42.7 %	43.8%
2	ALCOHOL	259443	14.2 %	14.6%
3	COCAINE/CRACK	192598	10.6 %	10.8%
4	MARIJUANA/HASHISH	283042	15.5 %	15.9%
5	HEROIN	42619	2.3 %	2.4%
6	NON-PRESCRIPTION METHADONE	5001	0.3 %	0.3%
7	OTHER OPIATES AND SYNTHETICS	76380	4.2 %	4.3%
8	PCP	3502	0.2 %	0.2%
9	OTHER HALLUCINOGENS	3465	0.2 %	0.2%
10	METHAMPHETAMINE	41575	2.3 %	2.3%
11	OTHER AMPHETAMINES	9384	0.5 %	0.5%
12	OTHER STIMULANTS	1198	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
13	BENZODIAZEPINES	45937	2.5 %	2.6%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	1050	0.1 %	0.1%
15	BARBITURATES	1177	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	5914	0.3 %	0.3%
17	INHALANTS	1164	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1193	0.1 %	0.1%
20	OTHER	26164	1.4 %	1.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	43204	2.4 %	-

Based upon 1779802 valid cases out of 1823006 total cases.

ROUTE2

USUAL ROUTE OF ADMINISTRATION (SECONDARY)

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	387859	21.3 %	38.7%
2	SMOKING	432503	23.7 %	43.2%
3	INHALATION	106622	5.8 %	10.6%
4	INJECTION (IV OR INTRAMUSCULAR)	68612	3.8 %	6.9%
20	OTHER	5647	0.3 %	0.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	821763	45.1 %	-

Based upon 1001243 valid cases out of 1823006 total cases.

FREQ2

FREQUENCY OF USE (SECONDARY)

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the frequency of use of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	431525	23.7 %	40.4%
2	1-3 TIMES IN THE PAST MONTH	158893	8.7 %	14.9%
3	1-2 TIMES IN THE PAST WEEK	104770	5.7 %	9.8%
4	3-6 TIMES IN THE PAST WEEK	98875	5.4 %	9.3%
5	DAILY	273682	15.0 %	25.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	755261	41.4 %	-

Based upon 1067745 valid cases out of 1823006 total cases.

FRSTUSE2	AGE AT FIRST USE (SECONDARY)
----------	------------------------------

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%	Valid %
1	11 AND UNDER	74078	4.1 %	7.4%
2	12-14	239816	13.2 %	23.9%
3	15-17	293412	16.1 %	29.2%
4	18-20	160691	8.8 %	16.0%
5	21-24	89313	4.9 %	8.9%
6	25-29	64051	3.5 %	6.4%
7	30-34	35127	1.9 %	3.5%
8	35-39	21109	1.2 %	2.1%
9	40-44	13272	0.7 %	1.3%
10	45-49	7857	0.4 %	0.8%
11	50-54	3999	0.2 %	0.4%
12	55 AND OVER	1959	0.1 %	0.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	818322	44.9 %	-

Based upon 1004684 valid cases out of 1823006 total cases.

SUB3	SUBSTANCE PROBLEM CODE (TERTIARY)
------	-----------------------------------

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	1162717	63.8 %	74.2%
2	ALCOHOL	84694	4.6 %	5.4%
3	COCAINE/CRACK	79564	4.4 %	5.1%
4	MARIJUANA/HASHISH	96253	5.3 %	6.1%
5	HEROIN	15604	0.9 %	1.0%
6	NON-PRESCRIPTION METHADONE	2350	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	33113	1.8 %	2.1%
8	PCP	2233	0.1 %	0.1%
9	OTHER HALLUCINOGENS	5421	0.3 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	METHAMPHETAMINE	16997	0.9 %	1.1%
11	OTHER AMPHETAMINES	7149	0.4 %	0.5%
12	OTHER STIMULANTS	1458	0.1 %	0.1%
13	BENZODIAZEPINES	28775	1.6 %	1.8%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	867	0.0 %	0.1%
15	BARBITURATES	845	0.0 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3771	0.2 %	0.2%
17	INHALANTS	1294	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1409	0.1 %	0.1%
20	OTHER	22833	1.3 %	1.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	255659	14.0 %	-

Based upon 1567347 valid cases out of 1823006 total cases.

ROUTE3

USUAL ROUTE OF ADMINISTRATION (TERTIARY)

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	163995	9.0 %	41.3%
2	SMOKING	152029	8.3 %	38.3%
3	INHALATION	53411	2.9 %	13.5%
4	INJECTION (IV OR INTRAMUSCULAR)	23625	1.3 %	6.0%
20	OTHER	3892	0.2 %	1.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1426054	78.2 %	-

Based upon 396952 valid cases out of 1823006 total cases.

FREQ3

FREQUENCY OF USE (TERTIARY)

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the frequency of use of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	276085	15.1 %	52.9%
2	1-3 TIMES IN THE PAST MONTH	68944	3.8 %	13.2%
3	1-2 TIMES IN THE PAST WEEK	39357	2.2 %	7.5%
4	3-6 TIMES IN THE PAST WEEK	33876	1.9 %	6.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	DAILY	103579	5.7 %	19.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1301165	71.4 %	-

Based upon 521841 valid cases out of 1823006 total cases.

FRSTUSE3 AGE AT FIRST USE (TERTIARY)

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	55200	3.0 %	13.2%
2	12-14	94564	5.2 %	22.6%
3	15-17	114908	6.3 %	27.4%
4	18-20	63828	3.5 %	15.2%
5	21-24	34339	1.9 %	8.2%
6	25-29	24436	1.3 %	5.8%
7	30-34	13372	0.7 %	3.2%
8	35-39	8009	0.4 %	1.9%
9	40-44	5280	0.3 %	1.3%
10	45-49	2916	0.2 %	0.7%
11	50-54	1386	0.1 %	0.3%
12	55 AND OVER	613	0.0 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1404155	77.0 %	-

Based upon 418851 valid cases out of 1823006 total cases.

NUMSUBS NUMBER OF SUBSTANCES REPORTED AT ADM.

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

Question: Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	21031	1.2 %	1.2%
1	789742	43.3 %	43.3%
2	619941	34.0 %	34.0%
3	392292	21.5 %	21.5%

Based upon 1823006 valid cases out of 1823006 total cases.

IDU CURRENT IV DRUG USE REPORTED AT ADM.

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8

Question: Flags record if injection was reported as primary, secondary, or tertiary route of administration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO IDU REPORTED	1526494	83.7 %	84.7%
1	IDU REPORTED	275577	15.1 %	15.3%
-8 (M)	NO SUBSTANCES REPORTED	20935	1.1 %	-

Based upon 1802071 valid cases out of 1823006 total cases.

ALCFLG ALCOHOL REPORTED AT ADM.

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	734846	40.3 %	40.3%
1	SUBSTANCE REPORTED	1088160	59.7 %	59.7%

Based upon 1823006 valid cases out of 1823006 total cases.

COKEFLG COCAINE/CRACK REPORTED AT ADM.

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1413309	77.5 %	77.5%
1	SUBSTANCE REPORTED	409697	22.5 %	22.5%

Based upon 1823006 valid cases out of 1823006 total cases.

MARFLG MARIJUANA/HASHISH REPORTED AT ADM.

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1109758	60.9 %	60.9%
1	SUBSTANCE REPORTED	713248	39.1 %	39.1%

Based upon 1823006 valid cases out of 1823006 total cases.

HERFLG	HEROIN REPORTED AT ADM.
--------	-------------------------

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1508722	82.8 %	82.8%
1	SUBSTANCE REPORTED	314284	17.2 %	17.2%

Based upon 1823006 valid cases out of 1823006 total cases.

METHFLG	NON-RX METHADONE REPORTED AT ADM.
---------	-----------------------------------

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1809740	99.3 %	99.3%
1	SUBSTANCE REPORTED	13266	0.7 %	0.7%

Based upon 1823006 valid cases out of 1823006 total cases.

OPSYNFLG	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
----------	---

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1572122	86.2 %	86.2%
1	SUBSTANCE REPORTED	250884	13.8 %	13.8%

Based upon 1823006 valid cases out of 1823006 total cases.

PCPFLG	PCP REPORTED AT ADM.
--------	----------------------

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1812768	99.4 %	99.4%
1	SUBSTANCE REPORTED	10238	0.6 %	0.6%

Based upon 1823006 valid cases out of 1823006 total cases.

HALLFLG OTHER HALLUCINOGENS REPORTED AT ADM.

Location: 102-102 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1812497	99.4 %	99.4%
1	SUBSTANCE REPORTED	10509	0.6 %	0.6%

Based upon 1823006 valid cases out of 1823006 total cases.

MTHAMFLG METHAMPHETAMINE REPORTED AT ADM.

Location: 103-103 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1660454	91.1 %	91.1%
1	SUBSTANCE REPORTED	162552	8.9 %	8.9%

Based upon 1823006 valid cases out of 1823006 total cases.

AMPHFLG OTHER AMPHETAMINES REPORTED AT ADM.

Location: 104-104 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1797976	98.6 %	98.6%
1	SUBSTANCE REPORTED	25030	1.4 %	1.4%

Based upon 1823006 valid cases out of 1823006 total cases.

STIMFLG OTHER STIMULANTS REPORTED AT ADM.

Location: 105-105 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1819200	99.8 %	99.8%
1	SUBSTANCE REPORTED	3806	0.2 %	0.2%

Based upon 1823006 valid cases out of 1823006 total cases.

BENZFLG BENZODIAZEPINES REPORTED AT ADM.

Location: 106-106 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1733897	95.1 %	95.1%
1	SUBSTANCE REPORTED	89109	4.9 %	4.9%

Based upon 1823006 valid cases out of 1823006 total cases.

TRNQFLG OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Location: 107-107 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1820594	99.9 %	99.9%
1	SUBSTANCE REPORTED	2412	0.1 %	0.1%

Based upon 1823006 valid cases out of 1823006 total cases.

BARBFLG BARBITURATES REPORTED AT ADM.

Location: 108-108 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1819614	99.8 %	99.8%
1	SUBSTANCE REPORTED	3392	0.2 %	0.2%

Based upon 1823006 valid cases out of 1823006 total cases.

SEDHPFLG OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Location: 109-109 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1810586	99.3 %	99.3%
1	SUBSTANCE REPORTED	12420	0.7 %	0.7%

Based upon 1823006 valid cases out of 1823006 total cases.

INHFLG	INHALANTS REPORTED AT ADM.
--------	----------------------------

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1819103	99.8 %	99.8%
1	SUBSTANCE REPORTED	3903	0.2 %	0.2%

Based upon 1823006 valid cases out of 1823006 total cases.

OTCFLG	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
--------	--

Location: 111-111 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1818163	99.7 %	99.7%
1	SUBSTANCE REPORTED	4843	0.3 %	0.3%

Based upon 1823006 valid cases out of 1823006 total cases.

OTHERFLG	OTHER DRUG REPORTED AT ADM.
----------	-----------------------------

Location: 112-112 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1760233	96.6 %	96.6%
1	SUBSTANCE REPORTED	62773	3.4 %	3.4%

Based upon 1823006 valid cases out of 1823006 total cases.

ALCDRUG	SUBSTANCE ABUSE TYPE
---------	----------------------

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

Question: Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	21031	1.2 %	1.2%
1	ALCOHOL ONLY	411875	22.6 %	22.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	OTHER DRUGS ONLY	713815	39.2 %	39.2%
3	ALCOHOL AND OTHER DRUGS	676285	37.1 %	37.1%

Based upon 1823006 valid cases out of 1823006 total cases.

DSMCRIT	DSM DIAGNOSIS
---------	---------------

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO DIAGNOSIS	2026	0.1 %	0.3%
1	ALCOHOL-INDUCED DISORDER	8218	0.5 %	1.1%
2	SUBSTANCE-INDUCED DISORDER	13922	0.8 %	1.9%
3	ALCOHOL INTOXICATION	50368	2.8 %	6.7%
4	ALCOHOL DEPENDENCE	166539	9.1 %	22.2%
5	OPIOID DEPENDENCE	119948	6.6 %	16.0%
6	COCAINE DEPENDENCE	49696	2.7 %	6.6%
7	CANNABIS DEPENDENCE	74862	4.1 %	10.0%
8	OTHER SUBSTANCE DEPENDENCE	69725	3.8 %	9.3%
9	ALCOHOL ABUSE	69243	3.8 %	9.2%
10	CANNABIS ABUSE	55063	3.0 %	7.3%
11	OTHER SUBSTANCE ABUSE	8250	0.5 %	1.1%
12	OPIOID ABUSE	5988	0.3 %	0.8%
13	COCAINE ABUSE	13004	0.7 %	1.7%
14	ANXIETY DISORDERS	2594	0.1 %	0.3%
15	DEPRESSIVE DISORDERS	7576	0.4 %	1.0%
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	2377	0.1 %	0.3%
17	BIPOLAR DISORDERS	4452	0.2 %	0.6%
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	1508	0.1 %	0.2%
19	OTHER MENTAL HEALTH CONDITION	4566	0.3 %	0.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
20	OTHER CONDITION	20111	1.1 %	2.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1072970	58.9 %	-

Based upon 750036 valid cases out of 1823006 total cases.

PSYPROB	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
---------	---

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	389832	21.4 %	29.8%
2	NO	918657	50.4 %	70.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	514517	28.2 %	-

Based upon 1308489 valid cases out of 1823006 total cases.

HLTHINS	HEALTH INSURANCE
---------	------------------

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRIVATE INSURANCE, BC/BS, HMO	96442	5.3 %	11.5%
2	MEDICAID	170977	9.4 %	20.5%
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	72791	4.0 %	8.7%
4	NONE	495629	27.2 %	59.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	987167	54.2 %	-

Based upon 835839 valid cases out of 1823006 total cases.

PRIMPAY	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
---------	---

Location: 121-122 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When

payment percentages are equal, the State can select either source.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	SELF-PAY	116885	6.4 %	18.6%
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	36847	2.0 %	5.9%
3	MEDICARE, WORKER'S COMPENSATION	4888	0.3 %	0.8%
4	MEDICAID	109018	6.0 %	17.4%
5	OTHER GOVERNMENT PAYMENTS	245908	13.5 %	39.2%
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	45160	2.5 %	7.2%
9	OTHER	69249	3.8 %	11.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1195051	65.6 %	-

Based upon 627955 valid cases out of 1823006 total cases.

APPENDIX

APPENDIX A

TEDS-A Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	113	114	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	95	95	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	104	104	OTHER AMPHETAMINES REPORTED AT ADM.
ARRESTS	SuDs	Num	2	37	38	NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION
BARBFLG	Added	Num	1	108	108	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	106	106	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	41	45	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	96	96	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	58	60	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	63	64	DETAILED CRIMINAL JUSTICE REFERRAL
DETNLF	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	52	53	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	115	116	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)

³ MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ1	MDS	Num	2	71	72	FREQUENCY OF USE (PRIMARY)
FREQ2	MDS	Num	2	79	80	FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num	2	87	88	FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num	2	73	74	AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num	2	81	82	AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num	2	89	90	AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num	2	15	16	SEX
HALLFLG	Added	Num	1	102	102	OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num	1	98	98	HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num	2	119	120	HEALTH INSURANCE
IDU	Added	Num	2	93	94	CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num	1	110	110	INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num	2	33	34	LIVING ARRANGEMENT
MARFLG	Added	Num	1	97	97	MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num	2	21	22	MARITAL STATUS
METHFLG	Added	Num	1	99	99	NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num	2	56	57	MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num	1	103	103	METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num	2	65	66	NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num	2	91	92	NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num	1	100	100	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num	1	111	111	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num	1	112	112	OTHER DRUG REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PCPFLG	Added	Num	1	101	101	PCP REPORTED AT ADM.
PMSA	Added	Num	4	46	49	FIPS 1990 MSA CODE
PREG	SuDS	Num	2	29	30	PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num	2	35	36	SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num	2	121	122	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num	2	61	62	PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num	2	117	118	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num	2	17	18	RACE
REGION	Added	Num	2	50	51	CENSUS REGION
ROUTE1	MDS	Num	2	69	70	USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num	2	77	78	USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num	2	85	86	USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num	1	109	109	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num	2	54	55	SERVICE SETTING AT ADMISSION
STFIPS	Added	Num	2	39	40	CENSUS STATE FIPS CODE
STIMFLG	Added	Num	1	105	105	OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num	2	67	68	SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num	2	75	76	SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num	2	83	84	SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num	1	107	107	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num	2	31	32	VETERAN STATUS
YEAR	Added	Num	4	9	12	YEAR OF ADMISSION

APPENDIX B

Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
AGE Age (Recoded)	Continuous (12-99)	12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over
ARRESTS Number of Arrests Prior to Admission	Continuous (0-96)	0 None 1 Once 2 Two or More Times
MARSTAT Marital Status	1 Never Married (62.7%) 2 Now Married (14.8%) 3 Separated (6.1%) 4 Divorced (14.6%) 5 Widowed (1.7%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
EDUC Education	Continuous (0-25)	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes (original percentage)	Recodes
DETNLF Detailed 'Not in Labor' Force	1 Homemaker (2.9%) 2 Student (18.3%) 3 Retired (2.1%) 4 Disabled (19.7%) 5 Inmate of Institution (6.6%) 6 Other (50.3%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
PRIMINC Source of Income / Support	1 Wages/Salary (28.0%) 2 Public Assistance (9.0%) 3 Retirement/Pension (<1%) 4 Disability (5.3%) 20 Other (20.8%) 21 None (36.1%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
PMSA FIPS 1990 MSA Code CBSA FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: “UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID”
DETCRIM Detailed Criminal Justice Referral	1 State/Federal Court (14.7%) 2 Other Court (14.5%) 3 Probation/Parole (34.6%) 4 Other Recognized Legal Entity (8.4%) 5 Diversionary Program (2.5%) 6 Prison (2.4%) 7 DUI/DWI (10.8%) 8 Other (12.1%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

Variable	Original Codes (original percentage)	Recodes
HLTHINS Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) (5.3%) 2 Blue Cross / Blue Shield (BC/BS) (3.5%) 3 Medicare (1.4%) 4 Medicaid (20.5%) 6 Health Maintenance Organization (HMO) (2.8%) 20 Other (e.g. TriCare, Champus) (7.3%) 21 None (59.3%)	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
PRIMPAY Expected/Actual Payment Source of Payment	1 Self-Pay (18.6%) 2 Blue Cross / Blue Shield (2.0%) 3 Medicare (<1%) 4 Medicaid (17.4%) 5 Other Government Payments (39.2%) 6 Worker's Compensation (<1%) 7 Other Health Insurance Companies (3.9%) 8 No charge (Free, Charity, Special Research or Teaching) (7.2%) 9 Other (11.0%)	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
FRSTUSE1 Age at First Use (Primary) FRSTUSE2 Age at First Use (Secondary) FRSTUSE3 Age at First Use (Tertiary)	Continuous (0-99)	11 and Under 12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over

Variable	Original Codes (original percentage)	Recodes
DSMCRIT DSM Diagnosis	0.00	0 No Diagnosis
	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
	999.97 – 999.99	-9 Missing

APPENDIX C: STATE REPORTING OF TEDS MINIMUM DATASET VARIABLES

Items collected/not-collected by State: TEDS Minimum Data Set 2010																						
"Y" = Collected, "--" = Not collected																						
Based on administrative data reported to TEDS by 49 reporting States and Puerto Rico; the District of Columbia and Georgia did not report any data; Revised per 10/10/11 data extract																						
State or jurisdiction	Prior trtmt	Ref-erral	Age	Sex	Race	Eth-nicity	Edu-cation	Employ-ment	Primary substance				Secondary substance				Tertiary substance				Service	Meth-adone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ARIZONA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ARKANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CALIFORNIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	--	Y	Y
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CONNECTICUT	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
DELAWARE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
DIST OF COLUMBIA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
FLORIDA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
GEORGIA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
HAWAII	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ILLINOIS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IOWA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MAINE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MARYLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MASSACHUSETTS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MICHIGAN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MINNESOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MISSISSIPPI	--	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Items collected/not-collected by State: TEDS Minimum Data Set 2010																						
"Y" = Collected, "--" = Not collected																						
Based on administrative data reported to TEDS by 49 reporting States and Puerto Rico; the District of Columbia and Georgia did not report any data; Revised per 10/10/11 data extract																						
State or jurisdiction	Prior trtmt	Ref-erral	Age	Sex	Race	Eth-nicity	Edu-cation	Employ-ment	Primary substance				Secondary substance				Tertiary substance				Service	Meth-adone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
MISSOURI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MONTANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OREGON	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PENNSYLVANIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PUERTO RICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
RHODE ISLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TENNESSEE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TEXAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
UTAH	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WASHINGTON	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WEST VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
WISCONSIN	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WYOMING	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

APPENDIX D: STATE REPORTING OF TEDS SUPPLEMENTAL DATA SET VARIABLES

Items collected/not-collected by State: TEDS Supplemental Data Set 2010													
"Y" = Collected, "--" = Not collected													
Based on administrative data reported to TEDS by 49 reporting States and Puerto Rico; the District of Columbia and Georgia did not report any data;													
Revised per 10/10/11 data extract													
State or jurisdiction	DSM diagnosis	Psychiatric problem	Pregnant	Veteran	Living arrangement	Income source	Health insurance	Payment source	Detailed not-in-labor-force	Detailed criminal justice referral	Marital status	Days waiting for treatment	Number of arrests
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ARIZONA	Y	Y	Y	--	Y	--	Y	--	Y	--	Y	Y	Y
ARKANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CALIFORNIA	--	Y	Y	Y	Y	--	--	--	--	Y	--	Y	Y
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CONNECTICUT	Y	--	Y	Y	Y	--	--	--	Y	--	Y	--	Y
DELAWARE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
DIST OF COLUMBIA	--	--	--	--	--	--	--	--	--	--	--	--	--
FLORIDA	Y	Y	Y	Y	Y	Y	--	--	Y	Y	Y	Y	Y
GEORGIA	--	--	--	--	--	--	--	--	--	--	--	--	--
HAWAII	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	Y	Y	--	Y	Y	Y	--	Y	Y	Y	Y	Y	Y
ILLINOIS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	Y	--	Y	Y	Y	--	Y	--	Y	Y	Y	--	Y
IOWA	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KANSAS	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MAINE	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y	Y
MARYLAND	--	Y	Y	--	Y	Y	Y	--	Y	Y	Y	Y	Y
MASSACHUSETTS	--	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y
MICHIGAN	Y	Y	Y	Y	Y	--	--	--	Y	--	Y	Y	Y
MINNESOTA	--	--	Y	Y	Y	Y	--	--	Y	--	Y	--	Y
MISSISSIPPI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Items collected/not-collected by State: TEDS Supplemental Data Set 2010													
"Y" = Collected, "--" = Not collected													
Based on administrative data reported to TEDS by 49 reporting States and Puerto Rico; the District of Columbia and Georgia did not report any data;													
Revised per 10/10/11 data extract													
State or jurisdiction	DSM diagnosis	Psychiatric problem	Pregnant	Veteran	Living arrangement	Income source	Health insurance	Payment source	Detailed not-in-labor-force	Detailed criminal justice referral	Marital status	Days waiting for treatment	Number of arrests
MISSOURI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MONTANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	--	Y	Y	Y	Y	Y	--	--	Y	Y	Y	--	Y
NORTH CAROLINA	Y	Y	Y	Y	Y	--	--	--	Y	--	Y	--	Y
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	--	Y	--	Y	Y	Y	--	Y
OREGON	--	--	Y	--	Y	Y	Y	--	Y	Y	Y	--	Y
PENNSYLVANIA	--	--	Y	Y	--	Y	Y	Y	Y	Y	Y	--	--
PUERTO RICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
RHODE ISLAND	Y	Y	Y	Y	Y	--	--	Y	Y	Y	Y	--	Y
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y	Y
SOUTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TENNESSEE	Y	Y	Y	Y	Y	Y	Y	--	Y	--	Y	Y	Y
TEXAS	--	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
UTAH	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	--	Y	--	Y	--	--	Y	Y	--	--	--	Y
VIRGINIA	Y	--	Y	--	Y	--	--	--	Y	--	--	--	Y
WASHINGTON	--	Y	Y	Y	Y	--	--	--	Y	--	Y	--	Y
WEST VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--
WISCONSIN	--	--	Y	--	Y	--	--	--	Y	--	--	--	Y
WYOMING	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y